

PETROMERICA



Global Award Winner 2021 - 2nd Place - AutomotiveTech

HIGH PERFORMANCE LUBRICANTS to meet the exacting demands of today's automotive, commercial, agricultural, construction, recreational vehicles and other mobile and stationary gasoline, propane and diesel equipment.



MEET PETROMERICA

Petromerica is a superior motor oil brand that has successfully established itself in the US and international automotive markets. We manufacture general-purpose, multi-grade motor oils blended from premium base stocks and advanced automotive additives to meet specific 'automotive-needs'. Our high-quality automotive lubricants are designed for maximum engine protection even under the most difficult driving conditions. They outperform conventional motor oils, reduce friction, prevent wear on start-up and protect your engine from sediment and corrosion. Petromerica lubricants are recommended for use in automotive, commercial, construction, agricultural, recreational vehicles and other mobile and stationary gasoline, propane and diesel

engines. Our products are certified and conform to the American Petroleum Institute (API) standards and have been field tested to meet or exceed American, European and Asian manufacturers' standards.

BENEFITS

- API Certified
- Synthetic oil helps to improve fuel economy
- Reduces start-up wear during cold weather
- Enhanced oxidative stability
- Emission system and wear protection
- Superior resistance to sludge and varnish

FULL SYNTHETIC MOTOR OIL

Petromerica Full Synthetic ULTRA Motor Oils are premium multi-grade oils formulated from select superior base stock and advance high-performance, low friction oil additives to provide quick flow to critical parts at start-up to help reduce wear and improve fuel economy. Petromerica Full Synthetic ULTRA Motor Oils outperform conventional motor oils and are designed especially for turbo-charged and high RPM engines which experience high heat. They are fully licensed to meet or exceed the latest American Petroleum Institute SP service classification and are recommended for use in passenger cars, vans, sports utility vehicles, light duty trucks, powerboats, motorcycles and other mobile and stationary equipment where engine life and performance are important.

Petromerica Full Synthetic ULTRA 5W-20, 5W-30 and 10W-30 Motor Oils meet or exceed ILSAC GF-6A (OW-16 meets GF-6B) and American Petroleum Institute API Resource Conserving SP service classifications and have been field tested to be comparable to many American, European and Japanese manufacturers' standards including: Ford WSS-M2C930A and WSS-M2C945A (5W-20), and WSS-M2C929A and WSS-M2C946A (5W-30); Chrysler MS 6395, dexos, and GM 6094M and other OEM specifications where a full synthetic SP motor oil is recommended.

0W-16 / 0W-20 / 0W-30 / 0W-40 / 5W-20 / 5W-30 / 5W-40 / 10W-30
Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 6-Gallon Eco Box, 55-Gallon Drums and Bulk



HIGH PERFORMANCE

FULL SYNTHETIC

Petromerica dexos1™ GEN 3 Full Synthetic ULTRA Motor Oils are premium multi-grade motor oils formulated from select low-friction, full synthetic base stocks and an advanced technology additive system licensed by General Motors to meet their Global Engine Oil Specification. They provide excellent oxidation stability, superior resistance to sludge formation and varnish deposits, reduce friction and wear at start-up and protect your engine even under the toughest driving conditions. Petromerica dexos1™ GEN 3 Full Synthetic ULTRA Motor Oils outperform conventional motor oil, help improve fuel economy and are recommended for turbo-charged and high-powered passenger car, light duty truck, sport utility vehicle and other mobile and stationary engines.

Petromerica dexos1™ GEN 3 Full Synthetic ULTRA Motor Oils meet or exceed stringent GM dexos1™ GEN 3 requirements, ILSAC GF-6A specifications and American Petroleum Institute (API) Resource Conserving SP service classifications and have been field tested to be comparable to many American, European and Japanese manufacturers' standards including: Ford WSS-M2C929A and WSS-M2C946A (5W-30); Chrysler MS 6395, dexos, and GM 6094M and other OEM specifications where a full synthetic API SP motor oil is recommended.

0W-20 / 5W-20 / 5W-30

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 6-Gallon Eco Box, 55-Gallon Drums and Bulk



Products available in either Quarts or Liters

SEMI SYNTHETIC MOTOR OIL

Petromerica Semi Synthetic PLUS Motor Oils are premium multi-grade motor oils are blended from quality lube base stocks and special additives for maximum engine protection even under the toughest all weather and driving conditions. They are fully licensed to meet or exceed the latest American Petroleum Institute SP service classification for use in passenger car, vans, sports utility vehicles, light duty trucks and other mobile and stationary engines.


Petromerica Semi Synthetic PLUS Motor Oils outperform conventional motor oils, reduces friction and wear at start-up, help improve fuel economy and protect your engine from performance robbing sludge and varnish deposits.

Petromerica Semi Synthetic PLUS 5W-20, 5W-30 and 10W-30 motor oils meet or exceed ILSAC GF-6A and American Petroleum Institute API Resource Conserving SP service classifications and have been field tested to be comparable to many American, European and Japanese manufacturers' standards including: Ford WSS-M2C930A and WSS-M2C945A (5W-20), and WSS-M2C929A and WSS-M2C946A (5W-30); Chrysler MS 6395, dexos, and GM 6094M and other OEM specifications where a semi synthetic API SP motor oil is recommended.

5W-20 / 5W-30 / 5W-40 / 10W-30 / 10W-40 / 20W-50

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 6-Gallon Eco Box, 55-Gallon Drums and Bulk





MAXIMUM ENGINE PROTECTION



SEMI SYNTHETIC HEAVY DUTY MOTOR OIL

Petromerica Heavy Duty Semi Synthetic Engine Oil is a high-performance engine oil designed to meet 2020 and prior model year on-highway and Tier 4 exhaust emission standards. It provides enhanced protection against wear, oxidation, shear viscosity loss, low and high temperature degradation, soot related thickening as well as protection against particulate filter blocking and catalyst poisoning. It outperforms conventional motor oil and is recommended for naturally aspirated, turbocharged or supercharged diesel, gasoline, or propane truck, sport utility vehicle, and passenger car engines.

Petromerica Heavy Duty Semi Synthetic Engine Oil meet or exceed various American, Asian and European manufacturers' standards including CJ-4, CH-4, CG-4, CF-4, CF-2, and other OEM's specifications where a premium heavy duty engine oil is recommended.

10W-40 / 15W-40 / 20W-50 / 25W-60

Available in: 1-Liter, 4-Liter, 5-Liter, 19 Liter Pails, 22.7 Liter Eco Box, 208 Liter Drums and Bulk



CK-4 DIESEL ENGINE OIL

Petromerica Heavy Duty CK-4 Diesel Engine Oils are formulated to provide excellent service in both diesel and gasoline engines used in cars, trucks, off-road vehicles, farm equipment, heavy construction equipment and other mobile and stationary engines.

Petromerica Heavy Duty Motor Oils meet or exceed the American Petroleum Institute CK-4, CJ-4, CI-4, CH-4 and SN service classification as well as all prior API specifications for CG-4, CF-4, CF-2, CF and API SM, SL, SJ, and SH as well as the performance requirements for Mack EO-M Plus, Cummins CES 20078, Volvo VDS / VDS-2, Caterpillar ECF-1, Detroit Diesel PGOS 93K218 and Volvo VDS-4, and power shift transmissions specifying Allison C-3 / C-4, and CAT TO-2 and have been field tested to be comparable to most American, Asian and European OEM manufacturers' standards where a semi synthetic CK-4/SN motor oils are recommended.

API CK-4 / CJ-4 / CI-4 PLUS / CI-4 / CH-4 / CF-4

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 6-Gallon Eco Box, 55-Gallon Drums and Bulk

HEAVY DUTY

CNG MULTIFUEL ENGINE OIL For LPG, GNV, GNC, Diesel, or Gasoline Engines

Petromerica CNG Multi SAE 20W-50 Engine Oil is a premium multifuel engine oil specifically designed for engines using Compressed Natural Gas (CNG), LPG, Dual Fuel, diesel, or gasoline fuel. It provides superior high-temperature protection, reduces friction at start-up and protects your engine against performance robbing wear, sludge and varnish deposits. It is suitable for bus, taxi, truck, passenger car, van, lift truck and other vehicles using CNG fuels. Petromerica CNG Multi SAE 20W-50 Engine Oil meets or exceeds American Petroleum Institute (API) SN service classification and has been field tested to be comparable to many American, Asian and European manufacturers' standards including JASO MA/MA2, GM6094M, Volvo VDS, MB 228.1 & 229.1, MAN 271, and Mack EO/L as well as the ash and TBN requirements of major OEMs where a CNG SN motor oil is recommended.

20W-50

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 6-Gallon Eco Box, 55-Gallon Drums and Bulk



OUR LATEST GENERATION OF HIGH PERFORMANCE ENGINE OILS
MEETS TODAY'S HIGHEST DEMANDS AND REQUIREMENTS

Products available in
either Quarts or Liters

HIGH MILEAGE OIL

Petromerica High Mileage Motor Oils are premium multi-grade motor oils designed for maximum protection for high mileage passenger car, van, sport utility vehicle, light duty truck and other mobile and stationary engines.

As your engine ages its oil breaks down faster. Petromerica High Mileage Motor Oil provides maximum protections against oil burn-off and is scientifically formulated with special additives to meet the needs of high mileage vehicles. Petromerica High Mileage Motor Oils contain advanced seal conditioner additives to help reduce leakage and provide extra protects against wear and harmful deposits.

Petromerica High Mileage Motor Oils are fully licensed to meet or exceed American Petroleum Institute SP service classification and has been field tested to be comparable to most American, Asian and European manufacturers' standards including Chrysler MS MS6395 and Ford WSS-M2C945A, WSS-M2C946A and other OEM specifications where a semi synthetic API SP motor oil is recommended.

5W-30 / 10W-30 / 10W-40

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 6-Gallon Eco Box, 55-Gallon Drums and Bulk





DEXRON®-VI FULL SYNTHETIC ATF

Petromerica DEXRON®-VI Full Synthetic Multi-Vehicle Automatic Transmission Fluid is a premium quality multi-purpose transmission fluid formulated to provide extreme protection, oxidation control, excellent low temperature and superior shear stability performance.

Petromerica DEXRON®-VI Full Synthetic Automatic Transmission Fluid is suitable for use in automatic transmissions calling for General Motors DEXRON®VI, DEXRON® I/II/G/H, Ford MERCON® and Allison C-4, Toyota T-III and T-IV, Honda Z1, Nissan Matic D and Matic J, and Mitsubishi SP-II and SP-III, JASO 1A and other performance requirement of Asian OEM's like Hyundai, Subaru and Mazda. In addition it meets the requirements of European OEM's like ZF TE-ML-14A, Voith 55.6335, MAN 339 Type Z-1 and MB, VW and BMW 4- and 5-speed automatic transmission specifications.

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 55-Gallon Drums and Bulk



MULTI-VEHICLE SYNTHETIC ATF

Petromerica Full Synthetic Multi-Vehicle Automatic Transmission Fluid provides extreme transmission protection including additional oxidation control, excellent low temperature and superior shear stability performance in modern passenger car, flex-fuel vehicle, hybrid, truck, and sport utility vehicle transmissions. It is suitable for use in automatic transmissions calling for GM DEXRON® II/III/IIIE/IIIIH, Ford MERCON®LV, Allison C-3 & C-4, CAT TO-2, Chrysler ATF+3 +4, Honda Z-1, DW-1, Hyundai/Kia SP-II/III/IV, JASO 1A, 2A, Nissan Matic Fluids, Toyota T-III, T-IV, WS and many other American, Asian and European OEM's performance standards including Mercedes Benz NAG 1, MAN 339A, Mazda, Mitsubishi, Subaru, Porsche, Voith 55.6335, VW, ZF TE-ML 21L, ZF 8 & 9 speed and BMW 4- and 5-speed automatic transmission specifications.

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 55-Gallon Drums and Bulk

PREMIUM VALUE

ATF-III TRANSMISSION FLUID

Petromerica ATF-III Automatic Transmission Fluid is premium quality multi-purpose transmission fluid blended from selected, highly refined base stocks and advanced additives to provide protection against rust, wear, and foaming.

Petromerica ATF-III Automatic Transmission Fluid is recommended for transmission systems, hydraulic systems, and power steering units manufactured worldwide requiring performance standards of ATF-III type fluids / DEXRON®-III (H), DEXRON®-III, DEXRON®-IIE, DEXRON®, MERCON®, Ford ESP-M2C138-CJ, Ford ESP-M2C166-H or Type A Suffix A, Allison C-3/C-4, or Caterpillar TO-2 fluids. Petromerica ATF-III is not recommended for use in transmissions requiring GM DEXRON®-VI, Ford MERCON®-V or MERCON® SP fluids.

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 55-Gallon Drums and Bulk



SUPERIOR ALL-TEMPERATURE, YEAR-ROUND PROTECTION, ADVANCED ANTI-WEAR PROTECTION AND SHEAR STABILITY

Products available in either Quarts or Liters

CVT TRANSMISSION FLUID

Petromerica Premium CVT Fluid (Continuously Variable Transmission Fluid) is specially formulated with a highly advanced additive package to meet the performance requirements of a variety of vehicles equipped with metal belt-type Continuously Variable Transmissions including Mini, Nissan and Subaru.

Petromerica CVT Transmission Fluid has enhanced critical frictional characteristics that provide outstanding metal-to-metal frictional properties and a longer service life with improved high and low temperature protection. Petromerica CVT Transmission Fluid provides smooth shifting, a high level of both torque capacity, and outstanding anti-shudder performance for enhanced driving comfort.

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 55-Gallon Drums and Bulk





STRICT QUALITY CONTROL MEASURES



4T MOTORCYCLE ENGINE OIL

Petromerica 4T Motorcycle Engine Oils are specifically designed for high-temperature, high RPM 4-stroke engines used in on and off-road motorcycles, ATVs and similar vehicles. A high-tech, low friction, performance additive formula delivers advanced low temperature fluidity for startup protection and easy cranking. They provide outstanding anti-wear protection, exceptional control and resistance to performance robbing sludge and varnish deposits, and provides superior frictional characteristics for maximum power transfer, smooth shifting and superb wet clutch protection even under the most severe riding conditions.

Petromerica 4T Motorcycle Engine Oils meets or exceeds API SN service classification and is compatible with all prior API classifications. Petromerica Semi Synthetic PLUS 4T SAE 10W-40 Motorcycle Engine Oil has been field tested to be comparable to most American, Asian and European manufacturers' standards including JASO MA/MA2 many other OEM's specifications where a synthetic blend API SN motorcycle engine oil is recommended.

10W-40 / 15W-50 / 20W-40 / 20W-50

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 6-Gallon Eco Box, 55-Gallon Drums and Bulk



POWER STEERING FLUID

Petromerica Power Steering Fluid is a premium quality fluid blended from superior base stocks and select additives to provide protection against wear, oxidation and corrosion. It can be used for complete fluid replacement or as a top off in passenger cars and light trucks. Petromerica Power Steering Fluid meets the service requirements of American, Asian and European passenger vehicles and light trucks.

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 6-Gallon Eco Box, 55-Gallon Drums and Bulk

SUPERIOR QUALITY

INDUSTRIAL LUBRICANTS

Petromerica Industrial Products cover a complete line of top quality lubricants including Greases, Transmission Fluids, TO-4 Fluid, Power Steering, Railroad Engine Oil, High Grade Military Oil, Marine Oil, Way Oil, Transformer Oil, Turbine Oil, Spindle Oil, Chain Oil and more.

Please see your sales representative or visit us on-line for a more complete listing of products and services including private labeling.

Available in: 5-Gallon Pails, 55-Gallon Drums and Bulk



MEETS THE HIGHEST STANDARD OF THE WORLD'S LEADING AUTOMOTIVE, COMMERCIAL, AND CONSTRUCTION VEHICLE MANUFACTURERS

Products available in either Quarts or Liters

GEAR OILS

Petromerica All Purpose Gear Oils are multi-purpose extreme pressure gear lubricants for automotive manual transmission, trans-axles and differentials. They are suitable for make-up and refill of conventional and limited-slip differentials.

Petromerica GL-5 80W-90 LS and 85W-140 Gear Oils are premium quality multi-purpose gear oils formulated with rust and oxidation additives to minimize gear friction, reduce corrosion, and to resist the formation of harmful contaminants. They meet or exceed API GL-5, Mack GO-G / GO-H, MIL-L-2105D (formerly MIL-L-2015C), MIL-PRF-2105E and SAE J2360 performance standards for all vehicles and heavy-duty equipment differentials, final drives, manual transmissions and gearboxes including industrial gearboxes specifying US Steel 224.

Petromerica GL-5 75W-90 and 75W-140 and 80W-140 Full Synthetic Gear Oils are formulated with synthetic base stocks and advanced additives for use in universal duty hypoid or spiral bevel gear differentials and manual transmissions. They have improved frictional properties that help prevent rust, oxidation, and wear to extend component life and reduce operating costs. They meet or exceed most American, Asian and European manufacturers' standards including API GL-5, DAF, Eaton MLD, GB 13895 (China GL-5), MAN 342 M1 / M2, Volvo 1273.10 97310 and ZF TEL-ML 07A / 08, MT-1, MACK GO-J, MIL-PRF-2105E, MIL-L-2105D, SAE J2360 and other OEM service requirements where full synthetic GL-5 gear oils are recommended.

75W-90 / 75W-140 / 80W-90 / 80W-140 / 85W-140

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 55-Gallon Drums and Bulk





Products available in either Quarts or Liters

TO-4 SAE-50 TRANSMISSION FLUID

Petromerica TO-4 SAE-50 Transmission Fluid is a specialized lubricant formulated to meet the latest specifications for transmission, drive train, wet brake and other machine compartments such as differentials, final drives and beveled gears that require TO-4 oils. It provides excellent oxidation stability, resistance to sludge formation, long term anti-wear, rust and corrosion protection and is ideal for use in wide range of automotive, mining, agricultural and earthmoving applications including off-highway tractors, trucks, skidders, graders, loaders, compactors and other heavy equipment.

Petromerica TO-4 SAE-50 Transmission Fluid meets or exceeds CATERPILLAR, ALLISON and KOMATSU industry specifications for a TO-4 fluid and has been field tested to be comparable to most American, Asian and European OEM manufacturers' standards where TO-4 and TO-2 fluids are recommended.

Available in: Quarts, Gallons, 5-Quarts, 5-Gallon Pails, 55-Gallon Drums and Bulk



AW HYDRAULIC OILS

Petromerica Anti-Wear Hydraulic Oils are premium hydraulic oils that contain rust, oxidation and foam inhibitors. They are designed for use with all vane and piston type hydraulic pumps, as well as circulating systems, compressors and other industrial equipment. They are formulated according to the ISO viscosity grade classifications that meet or exceed Cincinnati Machine P-68, P-69, P-70, Denison HF-0, HF-1, HF-2, Vickers 35VQ25, Eaton/Vickers M-2950-S, I-286-S, Ford M6C32, Chrysler, General Motors LS-2, and US Steel 136 performance specifications for stability and durability and comply with most industrial applications requiring a premium Anti-Wear Hydraulic Oil.

ISO Viscosity Grades: 10 / 22 / 32 / 46 / 68
Available in: 5-Gallon Pails, 55-Gallon Drums and Bulk

CERTIFIED ISO 9001

GLOBAL DISTRIBUTION

Petromerica specializes in automotive lubricant manufacturing. High quality lubricating oils significantly extend the life of any type of machinery or vehicle. One on the main key factors in a quality product is its stable, long-term performance.

We maintain strict internal standards in the formulation of the latest generation of high performance synthetic and semi-synthetic lubricants suited to a wide range automotive, commercial, and industrial gasoline, propane and diesel powered vehicles and equipment. Our various lubricants are all meticulously blended from the highest quality base stocks and the latest, leading edge performance additives.

Petromerica supplies superior products with unique properties that ensure maximum component protection at an excellent price to performance ratio to help you reduce maintenance time and costs. Petromerica products meet the highest standards and stringent requirements of leading American, European and Asian automotive, commercial, construction, agricultural, and industrial manufacturers worldwide.

Our cutting-edge plant incorporates a modular construction organizational layout and the latest up-to-date, high-tech equipment to produce of a wide range of specialized lubricants that meet key industrial specifications at an outstanding price to performance ratio. We maintain precise quality control at all stages of production, conduct constant research, and rigorous laboratory testing to insure the highest standards of quality and a genuinely extraordinary line of lubrication products.

The high-quality of the raw materials we use, the high capacity of our plant, along with the remarkable quality of our team of engineers, and our affordable prices grants us the ability to quickly adapt to the needs of today's everchanging market. We can quickly satisfy any product requirement you may have. And just as quickly supply any new specialized products you may require in the future.

Now more than ever companies need to think globally in terms of marketing and distribution. With years of experience and representatives in countries around the globe, Petromerica is a leading expert in import/export compliance and hazardous shipment handling. We can help your company navigate the complex world of International product supply and demand. Please contact one of our experienced North American, European, Latin American, Middle Eastern, Northern Africa, or Asian Sales Executive for more information.



Español, Arabic, and Russian speaking representatives available.



**WE CAN HELP. WE ARE RECOGNIZED EXPERTS
IN IMPORT/EXPORT COMPLIANCE AND
HAZARDOUS SHIPMENT HANDLING.**

Please contact one of our specialized Regional Representatives to discuss your company's individual needs or requirements at +1 773-376-9660 or email info@petromericamotoroil.com or more information or product details.

More for complete product information refer to individual Data Sheets or product (SDS) Safety Data Sheets for proper handling and safety information. For technical advice please contact Petromerica at +1 773-800-3098 or visit www.petromericaoil.com.

Global Distribution

US Global Petroleum is a U.S. based certified ISO 9001 oil manufacturer and a global distributor of API licensed quality lubricants, hydraulics and chemicals for passenger car, commercial vehicles and industrial applications.

Winner 2021 Awarded 2nd Place - AutomotiveTech
International Trade Council's Annual Go Global Awards



"Winning an Award is no small feat. We received a total of 6416 entries, coming from organizations in 178 countries. ... We are humbled by organizations such as US Global Petroleum who, in the face of a global pandemic, have displayed leadership, resilience and innovation, while embracing change and supporting their employees and communities in a way never seen before."

— Kristal Parcon, head of the Awards Committee

API / ILSAC Certified

API's Service Symbol and Certification Mark identify quality engine oils for gasoline and diesel-powered vehicles that meet the performance requirements set by U.S. and international vehicle and engine manufacturers and the lubricant industry.



ISO 9001
ISO 14001
ISO 45001



Approvals

- SP / ILSAC GF-6A, GF-6B
- MACK EO-O Premium Plus
- DEXOS®1
- RENAULT RLD-3
- VOLVO VDS-4
- DEXRON®VI

Available Packaging:

- 1 U.S. Quart Bottle (~1 Liter)
- 1 U.S. Gallon Bottle (~4 Liter)
- 5 U.S. Quart Bottle (~5 Liter)
- 5 U.S. Gallon Pail (~19 Liter)
- 6 U.S. Gallon Eco Box (~22 Liter)
- 55 U.S. Gallon Drum (~208 Liter)
- 275/330 U.S. Gallon Tote (~1000/1250 Liter)
- Bulk - 6280 U.S. Gallon FLEXI Tank

